



TABLE 2	
SIEVE SIZE	% PASSING
100mm	100
6.3mm	90-100
37.5mm	60-80
20mm	15-30
10mm	0-5

NOTE:
THIS DETAIL TO APPLY WHERE PAVING IS WITHIN 3m
FROM A BUILDING OR BOUNDARY



PLANNING DRAWING.
NOT FOR CONSTRUCTION.
ALL LEVELS GIVEN ARE
RELATIVE TO ORDNANCE DATUM.
THIS DRAWING HAS BEEN ISSUED FOR INFORMATION
PURPOSES ONLY AND MUST NOT BE USED
FOR CONSTRUCTION UNDER ANY CIRCUMSTANCES

- NOTES**
- For setting out refer to Architect's drawings.
 - This drawing to be read in conjunction with all other Architectural and Engineering drawings and all other relevant drawings and Specifications.
 - DO NOT SCALE THIS DRAWING. Use figured dimensions only.
 - No part of this document may be reproduced or transmitted in any form or stored in any retrieval system of any nature without the written permission as copyright holder except as agreed for use on the project for which the document was originally issued.
 - Ordnance Survey Ireland Licence Number EN 0074022

Rev. No.	Date	REVISION NOTE	Dm. By	Chkd. By

Client	COADY ARCHITECTS
Project	DEVELOPMENT AT DEVROY BARRACKS, NAAS
Title	SUDS DETAILS 1 OF 2
Dwg. No.	DEV-CSC-00-XX-DR-C-0155
Date	July 2021
Dm. by	AB
Chkd. by	GL
Appvd. by	NB
Scale	1:20 @ A1
Revision	

CS Consulting Group
DUBLIN | LONDON | LIMERICK

Head Office
19-22 Dame Street, Dublin 2.
T: +353 (0)1 5480863 F: +353 (0)1 9011355
e: info@csconsulting.ie
w: www.csconsulting.ie

Quality
Environment
Energy
Health & Safety

I.S. EN ISO 9001:2008
I.S. EN ISO 14001:2004
I.S. EN ISO 50001:2011
OHSAS 18001:2007

NSAI
Certified

CS Consulting Group Logo